

s thermistor
L1 5406 THERMISTOR

9-1-89
07/1325/150

5 BOLT

=> s exhaust (10a) gas
215259 GAS
L2 19582 EXHAUST (10A) GAS

=> s vlt and L2
L3 415 L1 AND L2

=> s car and L3
72194 CAR

16:33:25 COPY AND CLEAR PAGE, PLEASE
21 FEB 89 16:33:27 U.S. Patent & Trademark Office
L4 CAR AND L4 CAR AND L3

=> d 14 cit 1-14

4,626,338, Dec. 2, 1986, Equipment for detecting oxygen concentration; Haruyoshi Kondo, et al., 204*406, 1T, 408, 421, 425, 426, 429, 432

2. 4,584,448, Apr. 22, 1986, Microwave heating appliance with simplified user operation; Takeshi Tanabe, 219*10.55B

4,527,247, Jul. 2, 1985, Environmental control system; Fredrick P. Kaiser, et al., 364*550; 340*310A, 870.03; 364*506, 514, 557, 900, 919
919*205, 920.5, 921.8, 921.9, 926.9, 929.2, 931, 931.4, 940, 942.7

4,492,114, Jan. 8, 1985, Apparatus for detecting combustion timing; Teruo Yamanaka, et al., 73*117.3, 119A

16:34:05 COPY AND CLEAR PAGE, PLEASE
21 FEB 89 16:34:11 U.S. Patent & Trademark Office P0005

4,322,383, Mar. 30, 1982, Gas component detection apparatus; Eturo Yasuda, et al., 422*95; 73*27R; 324*71.5; 338*34; 422*98

4,244,518, Jan. 13, 1981, Gas component detection apparatus; Eturo Yasuda, et al., 422*95; 73*27R; 204*408, 424; 324*71.5; 338*34; 422*98

4,230,940, Oct. 28, 1980, Laser welding method for electrical wire connection to a terminal pin of an exhaust gas sensor; Uck I. Chang, et al., 218*121.64; 338*329

4,190,368, Feb. 26, 1980, Sulfur monitor analyzer; Edward Etess, 356*417; 350*361C; 422*52

4,150,670, Apr. 24, 1979, Anesthesia detector and display apparatus; Warren E. Jewett, et al., 128*204.22; 73*23; 137*53

16:34:11 COPY AND CLEAR PAGE, PLEASE
21 FEB 89 16:34:37 U.S. Patent & Trademark Office

P0006 22
861.2

11. 4,082,096, Apr. 4, 1978, Cryosurgical system; Jerrel W. Benson,
128*303.1, 325*425.1

12. 4,057,478, Nov. 8, 1977, Electrochemical gas monitor; Stanley
Bruckenstein, et al., 204*402, 1T, 406, 408, 412, 324*425

13. 4,022,215, May 10, 1977, Cryosurgical system; Jerrel W. Benson,
128*303.1

14. 3,920,993, Nov. 18, 1975, Piggyback optical bench; Carl N. Cederstrand,
et al., 250*343, 345; 356*51

16:34:38 COPY AND CLEAR PAGE, PLEASE

21 Feb 89 16:34:51

U.S. Patent & Trademark Office

P0007

16:34:51 AUTO

24 L3 AND AUTO

20. 4,190,368, Feb. 26, 1980, Sulfur monitor analyzer; Edward Etes,

250*343, 345; 356*51

21. 4,083,367, Apr. 11, 1978, Method and apparatus for pulmonary function
analysis; Peer M. Portner, et al., 128*691, 725; 250*343; 356*51, 418

22. 4,013,911, Mar. 22, 1977, Displacement - electricity transducer; Hideo
Fujinara, et al., 340*870.35; 310*168; 318*658; 324*208, 209; 336*134, 135;
340*870.32

16:36:11 COPY AND CLEAR PAGE, PLEASE

21 Feb 89 16:36:15

U.S. Patent & Trademark Office

P0008

23. 3,920,993, Nov. 18, 1975, Piggyback optical bench; Carl N. Cederstrand,
et al., 250*343, 345; 356*51

24. ✓ 3,998,876, Aug. 12, 1975, Internal combustion engine performance
efficiency analyzer and meter device; Gilbert F. Miceli, 73*117.3

25. d 15 cit 1-5

1. 4,793,799, Dec. 27, 1988, Photocopying control system; Mark K. Goldstein,
et al., 431*79, 12

2. ✓ 4,730,180, Jul. 12, 1988, Input/output signal checker for an electronic
control unit in an electronically controlled fuel injection system; Shuhei
Sangawa, 73*117A

3. 4,744,031, May 10, 1988, Method of and apparatus for alleviating shift

16:37:04 COPY AND CLEAR PAGE, PLEASE

21 FEB 89 16:37:04

U.S. Patent & Trademark Office

P0009

shocks of automatic transmission; Hitoshi Takeda, et al., 364*424.1; 74*866

4. 4,737,915, Apr. 12, 1988, Power train control method; Akihiro Hosaka,
364*431.07; 71*866; 364*424.1

=> d 15 cit 10-15

10. 4,671,235, Jun. 9, 1987, Output speed dependent throttle control system for internal combustion engine; Akio Hosaka, 123*352, 399

11. 4,615,410, Oct. 7, 1986, Method of determining slip of driving wheel of automotive vehicle; Akio Hosaka, 180*197; 34 *53R; 364*426.03

16:37:31 COPY AND CLEAR PAGE, PLEASE

21 FEB 89 16:37:35

U.S. Patent & Trademark Office

P0010

12. 4,584,448, Apr. 22, 1986, Microwave heating appliance with simplified user's operation; Takeshi Tanabe, 219*10.55B

13. 4,527,247, Jul. 2, 1985, Environmental control system; Fredrick P. Kaiser, et al., 364*550; 340*310A, 870.03; 350.5, 314, 357, 900, 919, 919.2, 919.4, 920.3, 921.8, 921.9, 922.9, 931, 931.4, 940, 942

14. 4,488,026, Dec. 11, 1984, Microwave oven with automatic cooking performance having additional heating process; Takeshi Tanabe, 219*10.55B; 99*325; 219*10.55E, 10.55M

15. 4,481,394, Nov. 6, 1984, Combined microwave oven and grill oven with automated cooking performance; Takeshi Tanabe, 219*10.55B; 99*DIG.14; 219*10.55R

16:37:35 COPY AND CLEAR PAGE, PLEASE

21 FEB 89 16:37:45

U.S. Patent & Trademark Office

P0010

=2 log y
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE
ENTRY
5.85

TOTAL
SESSION
5.85

U.S. Patent & Trademark Office LOGOFF AT 16:37:31 ON 21 FEB 89